

naročniški list

Štern d.o.o., Goriče 2, 4204 Golnik, Slovenija, telefon: 04/277 98 00, email: info@stern.si, <http://www.stern.si>

naročník

bakrene cevi - palica				Viega cevi - palica				
[5m]	SANCO	MCT My Cupper Tube	MEDICIPS	[6m]	prestabo	Temponox INOX 1,4520 - Industrijska	sanpress INOX 1,4521 - voda	sanpress INOX 1,4401 - plin
Ø 8x1		—		Ø 15				
Ø 10x1		—		Ø 18				
Ø 12x1		—		Ø 22				
Ø 14x1		—	—	Ø 28				
Ø 15x1				Ø 35				
Ø 16x1		—		Ø 42				
Ø 18x1				Ø 54				
Ø 22x1				Ø 64				
Ø 28x1				Ø 76				
Ø 35x1			—	Ø 89				
Ø 35x1,2		—		Ø 108				
Ø 42x1,2								
Ø 54x1,5								
Ø 64x2		—						
Ø 76x2		—						
Ø 89x2		—						
Ø 108x2.5		—						

cevi - kolut						RAXOFIX		
[m]	TALOS	SANCO	WICU	WICU® flex	CIPS	[m]	kolut izolirana	palica
Ø 6				—		16 x 2,2		
Ø 8				—		20 x 2,8		
Ø 10				—		25 x 2,7		
Ø 12						32 x 3,2		
Ø 15						40 x 3,5	—	
Ø 16			—	—		50 x 4,0	—	
Ø 18						63 x 4,5	—	
Ø 22								

bakrene cevi - klimatizacija		
[m]	Tubolit® Split	TALOS ACR
1/4" - 6,35mm		
3/8" - 9,52mm		
1/2" - 12,70mm		
5/8" - 15,88mm		
3/4" - 19,05mm		
7/8" - 22,23mm		
1/4" - 3/8" DUO		—

inox cevi - solar	
[m]	Armaflex® DuoSolar
DN 16/10m	
DN 16/15m	
DN 16/20m	
DN 20/10m	
DN 20/15m	
DN 20/20m	
DN 20/25m	



lok dvojni 90°

8	
10	
12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	
108	



lok enojni 90°

8	
10	
12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	
108	



spojka

6	
8	
10	
12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	




drсна spojka

12	
14	
15	
16	
18	
22	
28	
35	



notranja kapa

54	
64	
76	
89	



reducirka

10- 6	
12- 8	
12-10	
14-12	
15-10	
15-12	
16-12	
16-15	
18-12	
18-15	
18-16	
22-12	
22-15	
22-16	
22-18	
28-12	
28-15	
28-16	
28-18	
28-22	
35-15	
35-18	
35-22	
35-28	
42-22	
42-28	
42-35	
54-22	
54-28	
54-35	
54-42	
64-42	
64-54	
76-42	
76-54	
76-64	
89-54	
89-64	
89-76	



lok dvojni 45°

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	



lok enojni 45°

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	



lok 180°

10	
12	
15	
16	
18	
22	
28	
35	
42	
54	



kapa Cu

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	
64	
76	
89	




lok enojni 90° pod. k

12	
14	
15	
16	
18	
22	
28	




lok enojni 90° pod. d

12	
14	
15	
16	
18	
22	
28	



izogibni lok "A"

12	
14	
15	
16	
18	
22	
28	



izogibni lok "B"

12	
14	
15	
16	
18	
22	
28	



koleno dvojno 90°

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	



koleno enojno 90°

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	



odzračevalni lok 90°

14	
15	
16	
18	
22	
28	
35	
42	
54	



odzračevalni T-kos

12	
14	
15	
16	
18	
22	
28	
35	
42	
54	

12a- 6

15a-12

16a-12

18a-12

18a-15

22a-12

22a-15

22a-16

22a-18

28a-15

28a-18

28a-22

35a-22

35a-28

42a-22

42a-28

42a-35

54a-28

54a-35

54a-42

64a-54

76a-64

89a-76

